

NL2000W

NL2000W Water Cooled Laser Welding Machine optimizes workflow with its advanced technology, offering the capability to perform laser welding, cleaning, and cutting processes all in one machine. The water-cooling system enables long-term continuous welding operations.

It particularly excels in high-performance welding for thin metals, showcasing splatter-free, smooth welding performance that eliminates the need for post-welding grinding.

Thanks to its user-friendly interface, it offers easier applicability compared to traditional welding methods. Its portability allows adaptability to various working conditions. Equipped with a Turkish interface and adjustable parameter settings, it can effectively work with different types of metals.

Stock Code: NMLSLA09001

| Welding Performance | | |
|---------------------|------|--|
| Stainless steel | 5 mm | |
| Carbon steel | 5 mm | |
| Aluminium | 5 mm | |
| Galvanized sheet | 4 mm | |
| Brass | 3 mm | |

| Parameters | | |
|-----------------------------------|---------------------|--|
| System Voltage | 220V 50 Hz | |
| Input Power (at %100 Laser power) | 7.5 kW | |
| Laser output power | 1500 W | |
| Laser wavelength | 1080±5nm | |
| Output Connector | QBH | |
| Wobble speed | 2-6000 mm/s | |
| | Recommended:600mm/s | |
| Wobble Width | 0-6 mm | |
| | Recommended:0-4 mm | |
| Frequency | 5-5000 Hz | |
| | Recommended:2000 Hz | |
| Weight | 127.2 kg | |
| Warranty | 2 years | |

| Accessories | | |
|-------------------------------------|----------|--|
| Torch (fixed to laser power source) | 5 m | |
| Gas regulator (Nitrogen) | 1 piece | |
| Nuriș NSK-L Wire Feeder Unit | 1 piece | |
| Laser safety alasses | 3 pieces | |



